

DOCKET FILE COPY ORIGINAL

KILGORE BROADCAST MAINTENANCE
P. O. Box 777
Grove Hill, AL 36451
(205) 275-8839

RECEIVED

FEB 2 1993

FEDERAL COMMUNICATIONS COMMISSION
OFFICE OF THE SECRETARY

February 1, 1993

FEDERAL COMMUNICATIONS COMMISSION
1919 M Street, N.W.
Room 222
Washington, D.C. 20554

RE: Petition for Rule Making MM Docket No. 92-284 RM-8119

Gentlemen:

Enclosed is an original and four copies of the Petition for Rule Making that Curry Communications, Inc. is filing as comments. Included as the last page therein is the required affidavit.


Please have your office forward this to:

Chief, Allocations Branch
Policy and Rules Division
Mass Media Bureau

Additionally, there is a copy marked "Date Stamped". It is attached to a self addressed, pre-stamped envelope. Please have your office date stamp this copy and return to the petitioner for his files.

Thank you for your assistance.

Sincerely;



KILGORE BROADCAST MAINTENANCE
Alan F. Kilgore, Owner, Consultant

No. of Copies rec'd
List A B C D E

CAZ

Before the
FEDERAL COMMUNICATIONS COMMISSION
Washington, D.C. 20554

RECEIVED

FEB 2 1993

FEDERAL COMMUNICATIONS COMMISSION
OFFICE OF THE SECRETARY

In the Matter of --

Petition for Rule Making
Amendment of Section 73.202(b),
FM Broadcast Stations,
(Repton, Alabama)

)
) MM Docket No. 92-284

)
) RM No. 8119

To: Chief, Allocations Branch
Policy and Rules Division
Mass Media Bureau

PETITION FOR RULE MAKING

Curry Communications, Inc., an Alabama corporation organized for the purpose of operating an FM Broadcast station, by its Consultant, petitions the Commission for a Rule Making that would allow it to make application for a Construction permit to build new facilities for Repton, Alabama.

BACKGROUND

Repton, Alabama is not served as City of License by any Broadcast media, making this a request for first service in the community. Petitioner is principally owned by local minorities (Black) desiring to provide Black oriented local programming not currently available for the community and surrounding area.

THE REQUEST

Now Curry Communications, Inc. petitions the Commission to add channel 266A at Repton, Alabama to the Table of FM Allotments within Part 73.202(b).

EXPRESSION OF INTEREST

Petitioner hereby certifies that it desires to make application for a Construction Permit as quickly as allowed. This will become a possibility if the Commission acts favorably on this instant request for the allocation of channel 266A at Repton, Alabama. If the request is granted, Petitioner will move expeditiously to file a form 301 for a new station and furthermore will immediately construct, daily operate and locally program such a Class A facility upon the Commission's grant of a Construction Permit.

CONCLUSION


Engineering prepared for the petitioner determined that the requested facility would not cause interference to any stations, allocations, permits or any requested facilities known at the time of this filing. This request is not mutually exclusive with any requests, that we are aware of, before the Commission.

It is therefore concluded that since the requested allocation

would cause no interference and would provide first service to a new community with programming not currently available, it would be in the public's interest for the Commission to amend 73.202(b) Table of FM Allocations to include Repton, Alabama channel 266A and create a window for applications per the Commission's rules and policies.

Respectfully submitted,
CURRY COMMUNICATIONS, INC.

BY:


Albert Curry
Its President

Date:

10-27-92

Albert Curry, President
Curry Communications, Inc.
107 Pickens Street
Monroeville, AL 36460
(205)575-7138

ENGINEERING STATEMENT

In Support of a
Petition for Rule Making
Curry Communications, Inc.
Repton, Alabama
Adding Channel 266A

This engineering statement and the supporting exhibits are submitted in verification of a proposed rule making request. The request is being made on behalf of Curry Communications, Inc.

An FM spacing constraints study (Exhibit A), specifying 3 kw ERP at 100 meters EAH (Exhibit B) for the petitioned station shows no short spacings.

Concerning site selection if the Commission acts favorably on this petition, there are close spacings to Channel 264C Pensacola, Florida (WJLQ), Channel 265C2 Selma, Alabama (WALX) and Channel 267C Meridian, Mississippi (WJDQ) per 73.207. A Contour Protection Study (Exhibit C) indicates there was only one close spacing (Channel 264C at Pensacola, FL) per 73.215 contour protection rules.

CHANNEL 264C AT PENSACOLA, FL

Channel 264C at Pensacola, Florida (FCC File BMLH-880322KA) is currently licensed and the allocation reference point is the same as that of that operating facility. It is close spaced by 0.3 km per 73.207 (Exhibit A).

Concerning site restrictions if the Commission allocates the petitioned channel: using contour protection rule 73.215 improves the close spacing to 3.2 km clearance (Exhibit C) using a non-directional

antenna, 3 kilowatts ERP and 100 meters EAH. This is adequate for a 266A to locate anywhere within the entire community without violating the Commission's spacing constraints.

CHANNEL 265C2 AT SELMA, AL

Channel 265C2 at Selma, Alabama (FCC File BLH-890324KC) is currently licensed. The channel allocation reference point is different than that of the licensed facility. The operating facility is close spaced by 4.8 km per 73.215 (Exhibit A).

Concerning site restrictions if the Commission allocates the petitioned channel: using contour protection rules per 73.215 provides 12.8 km clearance (Exhibit C) using a non-directional antenna, 3 kilowatts ERP and 100 meters EAH. This eliminates the close spacing and is adequate for a 266A to locate anywhere within the entire community without violating the Commission's separation constraints.

CHANNEL 267C AT MERIDIAN, MS

Channel 267C at Meridian, Mississippi is allocated and uses the currently operating 267C1 coordinates for the 267C allocation reference point (FCC File BLH6336). This 267C allocation is close spaced by 5.0 km per 73.215 (Exhibit A).

Concerning site restrictions if the Commission allocates the petitioned channel: using contour protection rules per 73.207 provides 11.3 km clearance (Exhibit C) using a non-directional antenna, 3 kilo-

watts ERP and 100 meters EAH. This eliminates the close spacing and is adequate for a 266A to locate anywhere within the community without violating Commission's separation constraints.

Additionally, the construction permit for Channel 267C before the Commission by WJDQ (FCC File BPH-890609JF) indicates different coordinates than that of the Channel 267C allocation reference points. The site chosen by WJLQ is clear by 37.2 kilometers (Exhibit A).

CONCLUSION

Curry Communications, Inc., in the instant petition, requests that the Commission add channel 266A at Repton, Alabama to the FM Table of Allocations.

The instant petition is not mutually exclusive with anything before the Commission to our knowledge. Furthermore, it does not cause a short spacing environment. A 3 kW ERP 100 meter EAH Class A facility can be located anywhere within the community without causing a short spaced situation.

CERTIFICATION

I, Alan F. Kilgore, hereby certify the following: that I am an independent broadcast consultant. I hold an FCC Lifetime General Operator's License PG-6-18888. I am familiar with the Commission's rules and regulations. All information in this engineering statement was prepared by me or under my direct supervision.

The statement was based on the data available from the Commission

and believed to be accurate on this date. However, such data is subject to change without notice and, therefore, I, Alan F. Kilgore, will accept no responsibility as to the complete accuracy of this statement, although I believe it to be true and correct.

signed


Alan F. Kilgore, Consultant

THIS 28th DAY OF OCTOBER, 1992

KILGORE BROADCAST MAINTENANCE
P. O. BOX 777
GROVE HILL, AL 36451
(205)275-8839

CURRY COMMUNICATIONS, INC.
EXHIBITS LISTING

| EXHIBIT NUMBER | EXHIBIT CONTENTS | NUMBER OF PAGES |
|-------------------|---|--------------------|
| EXHIBIT A. | Spacing Constraints per 73.207 | 2 |
| EXHIBIT B. | Reference Location and town Corporate Limits | 1 |
| EXHIBIT C. | Contour Protection Constraints per 73.215 | 1 |
| EXHIBIT D. | Predicted Protected Contour | 2 |
| EXHIBIT E. | Predicted 70 dBu Contour | 2 |

CURRY COMMUNICATIONS, INC.
EXHIBIT A.

KILGORE BROADCAST MAINTENANCE

Page No. 1

FILE NAME: Rep266A.D04 Proposed New Allocation 3.000KW A 100mEAH
FCC DATABASE: 920930 Repton, AL LATITUDE: 31-24-40
DATE: 10-22-1992 CH 266A Cleared by 50 KM LONGITUDE: 87-14-20

| CALL | CITY OF LICENSE | CHAN | ERP-KW | LATITUDE | AZIM | DIST-km | CLEARED |
|-------|-----------------|---------|--------|----------|-----------|---------|---------|
| AUTH | FCC FILE | UPDATED | FREQ | EAH-m | LONGITUDE | FROM | REQ-km |
| OWNER | | | | AMSL-m | DOCKET# | | BY km |

| | | | | | | | |
|-------------------|---------------|----------|---------|----------|----------|------|----------|
| WJLQ | Pensacola, FL | 264C | 100.000 | 30-37-35 | 204.1 | 95.3 | CLOSE |
| LIC | BMLH-880322KA | 09/16/88 | 100.7 | 474 | 87-38-50 | 24.1 | 95.0 0.3 |
| Norman S. Drubner | | | | 508 | | | |

| | | | | | | | |
|------|---------------|----------|-------|----------|----------|------|----------|
| USED | Pensacola, FL | 264C | 0.000 | 30-37-35 | 204.1 | 95.3 | CLOSE |
| | | 12/01/90 | 100.7 | 0 | 87-38-50 | 24.1 | 95.0 0.3 |
| | | | | 0 | | | |

Coordinates updated from LIC record BMLH880322KA

| | | | | | | | |
|------|-----------|----------|-------|----------|----------|-------|-----------|
| USED | Selma, AL | 265C2 | 0.000 | 32-23-23 | 10.5 | 110.3 | CLOSE |
| | | 02/21/89 | 100.9 | 0 | 87-01-36 | 190.5 | 106.0 4.3 |
| | | | | 0 | 87-437 | | |

Site Restricted-Effective 8-15-88-Rsvd for WALX Per D87-437

| | | | | | | | |
|--------------------------------------|--------------|----------|--------|----------|----------|-------|-----------|
| WALX | Selma, AL | 265C2 | 50.000 | 32-21-40 | 18.1 | 110.8 | CLOSE |
| LIC | BLH-890324KC | 02/09/90 | 100.9 | 150 | 86-52-28 | 198.1 | 106.0 4.8 |
| Alexander Broadcasting Company, Inc. | | | | 202 | | | |

| | | | | | | | |
|------|----------|----------|-------|----------|----------|-------|-----------|
| USED | Elba, AL | 266A | 0.000 | 31-24-41 | 90.0 | 121.7 | CLEAR |
| | | 12/01/90 | 101.1 | 0 | 85-57-32 | 270.0 | 115.0 6.7 |
| | | | | 0 | | | |

Coordinates updated from LIC record BLH861010KA

| | | | | | | | |
|--------------------|--------------|----------|-------|----------|----------|-------|-----------|
| W2TZ | Elba, AL | 266A | 0.640 | 31-24-41 | 90.0 | 121.7 | CLEAR |
| LIC | BLH-861010KA | 12/02/87 | 101.1 | 208 | 85-57-32 | 270.0 | 115.0 6.7 |
| Elba Radio Company | | | | 305 | | | |

| | | | | | | | |
|---------------------------------|--------------|----------|--------|----------|----------|-------|------------|
| WJDQ | Meridian, MS | 267C1 | 99.000 | 32-18-43 | 306.0 | 170.0 | CLEAR |
| LIC | BLH-6336 | 09/27/91 | 101.3 | 177 | 88-41-33 | 126.0 | 133.0 37.0 |
| Broadcasters & Publishers, Inc. | | | | 301 | | | |
| *To Channel 267C | | | | | | | |

| | | | | | | | |
|------|--------------|----------|-------|----------|----------|-------|-----------|
| USED | Meridian, MS | 267C | 0.000 | 32-18-43 | 306.0 | 170.0 | CLOSE |
| | | 12/01/90 | 101.3 | 0 | 88-41-33 | 126.0 | 165.0 5.0 |
| | | | | 0 | | | |

Coordinates updated from LIC record BLH6336

| | | | | | | | |
|---------------------------------|---------------|----------|--------|----------|----------|-------|------------|
| WJDQ | Meridian, MS | 267C1 | 99.000 | 32-18-43 | 306.0 | 170.0 | CLEAR |
| APP | BMLH-900116KD | 09/27/91 | 101.3 | 177 | 88-41-33 | 126.0 | 133.0 37.0 |
| Broadcasters & Publishers, Inc. | | | | 301 | | | |
| *To Channel 267C | | | | | | | |

CURRY COMMUNICATIONS, INC.
EXHIBIT A.

KILGORE BROADCAST MAINTENANCE

Page No. 2

FILE NAME: Rep266A.D04 Proposed New Allocation 3.000kW A 100mEAH
FCC DATABASE: 920930 Repton, AL LATITUDE: 31-24-40
DATE: 10-22-1992 CH 266A Cleared by 50 KM LONGITUDE: 87-14-20

| CALL | CITY OF LICENSE | CHAN | ERP-KW | LATITUDE | AZIM | DIST-km | CLEARED |
|-------|-----------------|---------|--------|----------|-----------|---------|--------------|
| AUTH | FCC FILE | UPDATED | FREQ | EAH-m | LONGITUDE | FROM | REQ-km BY km |
| OWNER | | | AMSL-m | DOCKET# | | | |

| | | | | | | | |
|---------------------------------|--------------|----------|--------|----------|----------|-------|------------|
| WJDQ | Meridian, MS | 267C | 86.000 | 32-34-18 | 309.5 | 202.2 | CLEAR |
| CP | BPH-890609JF | 02/10/92 | 101.3 | 319 | 88-53-20 | 129.5 | 165.0 37.2 |
| Broadcasters & Publishers, Inc. | | | 453 | | | | |
| From Channel 267C1 | | | | | | | |

| | | | | | | | |
|---------------------------------|---------------|----------|---------|----------|----------|-------|-----------|
| WTKXFM | Pensacola, FL | 268C1 | 100.000 | 30-37-29 | 170.5 | 88.4 | CLEAR |
| LIC | BLH-4019 | 12/22/89 | 101.5 | 122 | 87-05-08 | 350.5 | 75.0 13.4 |
| Holt Communications Corporation | | | 148 | | | | |

| | | | | | | | |
|---------------------------------|---------------|----------|---------|----------|----------|-------|-----------|
| WTKXFM | Pensacola, FL | 268C1 | 100.000 | 30-37-29 | 170.5 | 88.4 | CLEAR |
| CP MOD | BMPH-880623IC | 02/05/92 | 101.5 | 193 | 87-05-08 | 350.5 | 75.0 13.4 |
| Holt Communications Corporation | | | 216 | | | | |

| | | | | | | | |
|------|---------------|----------|-------|----------|----------|-------|-----------|
| | Pensacola, FL | 268C1 | 0.000 | 30-37-29 | 170.5 | 88.4 | CLEAR |
| USED | | 12/01/90 | 101.5 | 0 | 87-05-08 | 350.5 | 75.0 13.4 |
| | | | 0 | | | | |

Coordinates updated from LIC record BLH4019

**** END OF STUDY ****

CURRY COMMUNICATIONS, INC.
EXHIBIT C.

KILGORE BROADCAST MAINTENANCE

Page No. 1

FILE NAME: Rep266A.DOC
FCC DATABASE: 920930
DATE: 10-22-1992

Contour Protection
Repton, AL
CH 266A Cleared by 50 KM

197mAMSL
3.000kW A 100mEAH
LATITUDE: 31-24-40
LONGITUDE: 87-14-20

| CALL | CITY OF LICENSE | CHAN | ERP-KW | LATITUDE | AZIM | DIST-km | CLEARED |
|-------|-----------------|---------|--------|----------|-----------|---------|--------------|
| AUTH | FCC FILE | UPDATED | FREQ | EAH-m | LONGITUDE | FROM | REQ-km BY km |
| OWNER | | | AMSL-m | DOCKET# | | | |

| | | | | | | | |
|-------------------|---------------|----------|---------|----------|----------|------|----------|
| WJLQ | Pensacola, FL | 264C | 100.000 | 30-37-35 | 204.1 | 95.3 | CLOSE |
| LIC | BMLH-880322KA | 09/16/88 | 100.7 | 474 | 87-38-50 | 24.1 | 92.1 3.2 |
| Norman S. Drubner | | | 508 | | | | |

20.1 KM SRCH 60dBu + 43.8 KM DBAS 80dBu = TTL 68.9 KM
84.5 KM DBAS 60dBu + 7.6 KM SRCH 80dBu = TTL 92.1 KM

| | | | | | | | |
|---------------|----------|-------|-------|----------|-------|------|-------|
| Pensacola, FL | | 264C | 0.000 | 30-37-35 | 204.1 | 95.3 | CLOSE |
| USED | 12/01/90 | 100.7 | 0 | 87-38-50 | 24.1 | 92.1 | 3.2 |
| | | | 0 | | | | |

Coordinates updated from LIC record BMLH880322KA

20.1 KM SRCH 60dBu + 43.8 KM DBAS 80dBu = TTL 68.9 KM
84.5 KM DBAS 60dBu + 7.6 KM SRCH 80dBu = TTL 92.1 KM

| | | | | | | | |
|-----------|----------|-------|-------|----------|-------|-------|-------|
| Selma, AL | | 265C2 | 0.000 | 32-23-23 | 10.5 | 110.3 | CLEAR |
| USED | 02/21/89 | 100.9 | 0 | 87-01-36 | 190.5 | 98.4 | 11.9 |
| | | | 0 | 87-437 | | | |

Site Restricted-Effective 8-15-88-Rsvd for WALX Per D87-437

23.8 KM SRCH 60dBu + 74.6 KM DBAS 54dBu = TTL 98.4 KM
48.9 KM DBAS 60dBu + 34.6 KM SRCH 54dBu = TTL 83.5 KM

| | | | | | | | |
|--------------------------------------|--------------|----------|--------|----------|----------|-------|-----------|
| WALX | Selma, AL | 265C2 | 50.000 | 32-21-40 | 18.1 | 110.8 | CLEAR |
| LIC | BLH-890324KC | 02/09/90 | 100.9 | 150 | 86-52-28 | 198.1 | 98.0 12.8 |
| Alexander Broadcasting Company, Inc. | | | 202 | | | | |


23.0 KM SRCH 60dBu + 75.8 KM DBAS 54dBu = TTL 98.0 KM
49.2 KM DBAS 60dBu + 33.0 KM SRCH 54dBu = TTL 82.2 KM

| | | | | | | | |
|--------------|----------|-------|-------|----------|-------|-------|-------|
| Meridian, MS | | 267C | 0.000 | 32-18-43 | 306.0 | 170.0 | CLEAR |
| USED | 12/01/90 | 101.3 | 0 | 88-41-33 | 126.0 | 157.8 | 12.2 |
| | | | 0 | | | | |

Coordinates updated from LIC record BLH6336


21.5 KM SRCH 60dBu + 136.3 KM DBAS 54dBu = TTL 157.8 KM
91.6 KM DBAS 60dBu + 31.1 KM SRCH 54dBu = TTL 122.7 KM

**** END OF STUDY ****



Scale 1:500 000


1 inch on the map represents approximately 8 miles on the ground



CURRY COMMUNICATIONS, INC.
EXHIBIT D.

PREDICTED PROTECTED (60 DBU) CONTOUR

| AZIMUTH DEGREES | AVG TERRAIN AMSL | EFFECTIVE ANTENNA HEIGHT | CONTOUR | DISTANCE TO CONTOUR |
|--------------------|------------------------|--------------------------------|-----------------|----------------------|
| 0 | 94.2 m. | 102.7 m. | 60 dBu F(50,50) | 24.9 km. (15.5 mi). |
| 15 | 106.8 m. | 90.1 m. | 60 dBu F(50,50) | 23.4 km. (14.5 mi). |
| 30 | 109.3 m. | 87.6 m. | 60 dBu F(50,50) | 23.0 km. (14.3 mi). |
| 45 | 98.6 m. | 98.3 m. | 60 dBu F(50,50) | 24.4 km. (15.2 mi). |
| 60 | 94.9 m. | 102.0 m. | 60 dBu F(50,50) | 24.9 km. (15.4 mi). |
| 75 | 90.7 m. | 106.2 m. | 60 dBu F(50,50) | 25.4 km. (15.8 mi). |
| 90 | 96.3 m. | 100.6 m. | 60 dBu F(50,50) | 24.7 km. (15.3 mi). |
| 105 | 97.5 m. | 99.4 m. | 60 dBu F(50,50) | 24.5 km. (15.2 mi). |
| 120 | 88.7 m. | 108.2 m. | 60 dBu F(50,50) | 25.6 km. (15.9 mi). |
| 135 | 85.5 m. | 111.4 m. | 60 dBu F(50,50) | 26.1 km. (16.2 mi). |
| 150 | 76.1 m. | 120.8 m. | 60 dBu F(50,50) | 27.2 km. (16.9 mi). |
| 165 | 83.3 m. | 113.6 m. | 60 dBu F(50,50) | 26.3 km. (16.4 mi). |
| 180 | 83.9 m. | 113.0 m. | 60 dBu F(50,50) | 26.3 km. (16.3 mi). |
| 195 | 100.3 m. | 96.6 m. | 60 dBu F(50,50) | 24.2 km. (15.0 mi). |
| 210 | 96.4 m. | 100.5 m. | 60 dBu F(50,50) | 24.7 km. (15.3 mi). |
| 225 | 87.8 m. | 109.1 m. | 60 dBu F(50,50) | 25.8 km. (16.0 mi). |
| 240 | 99.9 m. | 97.0 m. | 60 dBu F(50,50) | 24.2 km. (15.1 mi). |
| 255 | 116.0 m. | 80.9 m. | 60 dBu F(50,50) | 22.2 km. (13.8 mi). |
| 270 | 119.1 m. | 77.8 m. | 60 dBu F(50,50) | 21.8 km. (13.5 mi). |
| 285 | 120.6 m. | 76.3 m. | 60 dBu F(50,50) | 21.6 km. (13.4 mi). |
| 300 | 128.1 m. | 68.8 m. | 60 dBu F(50,50) | 20.6 km. (12.8 mi). |
| 315 | 109.9 m. | 87.0 m. | 60 dBu F(50,50) | 23.0 km. (14.3 mi). |
| 330 | 112.1 m. | 84.8 m. | 60 dBu F(50,50) | 22.7 km. (14.1 mi). |
| 345 | 87.9 m. | 109.0 m. | 60 dBu F(50,50) | 25.8 km. (16.0 mi). |




CURRY COMMUNICATIONS, INC.
EXHIBIT E.

Predicted 70 dBu Contour

Scale 1:500 000

1 inch on the map represents approximately 8 miles on the ground



CURRY COMMUNICATIONS, INC.
EXHIBIT E.

PREDICTED CITYGRADE (70 DBU) CONTOUR


| AZIMUTH DEGREES | AVG TERRAIN AMSL | EFFECTIVE ANTENNA HEIGHT | CONTOUR | DISTANCE TO CONTOUR |
|--------------------|------------------------|--------------------------------|-----------------|---------------------|
| 0 | 94.2 m. | 102.7 m. | 70 dBu F(50,50) | 14.0 km. (8.7 mi). |
| 15 | 106.8 m. | 90.1 m. | 70 dBu F(50,50) | 13.2 km. (8.2 mi). |
| 30 | 109.3 m. | 87.6 m. | 70 dBu F(50,50) | 13.0 km. (8.1 mi). |
| 45 | 98.6 m. | 98.3 m. | 70 dBu F(50,50) | 13.7 km. (8.5 mi). |
| 60 | 94.9 m. | 102.0 m. | 70 dBu F(50,50) | 14.0 km. (8.7 mi). |
| 75 | 90.7 m. | 106.2 m. | 70 dBu F(50,50) | 14.2 km. (8.8 mi). |
| 90 | 96.3 m. | 100.6 m. | 70 dBu F(50,50) | 13.9 km. (8.6 mi). |
| 105 | 97.5 m. | 99.4 m. | 70 dBu F(50,50) | 13.8 km. (8.6 mi). |
| 120 | 88.7 m. | 108.2 m. | 70 dBu F(50,50) | 14.4 km. (8.9 mi). |
| 135 | 85.5 m. | 111.4 m. | 70 dBu F(50,50) | 14.6 km. (9.1 mi). |
| 150 | 76.1 m. | 120.8 m. | 70 dBu F(50,50) | 15.2 km. (9.4 mi). |
| 165 | 83.3 m. | 113.6 m. | 70 dBu F(50,50) | 14.7 km. (9.1 mi). |
| 180 | 83.9 m. | 113.0 m. | 70 dBu F(50,50) | 14.7 km. (9.1 mi). |
| 195 | 100.3 m. | 96.6 m. | 70 dBu F(50,50) | 13.6 km. (8.4 mi). |
| 210 | 96.4 m. | 100.5 m. | 70 dBu F(50,50) | 13.9 km. (8.6 mi). |
| 225 | 87.8 m. | 109.1 m. | 70 dBu F(50,50) | 14.4 km. (9.0 mi). |
| 240 | 99.9 m. | 97.0 m. | 70 dBu F(50,50) | 13.6 km. (8.5 mi). |
| 255 | 116.0 m. | 80.9 m. | 70 dBu F(50,50) | 12.6 km. (7.8 mi). |
| 270 | 119.1 m. | 77.8 m. | 70 dBu F(50,50) | 12.4 km. (7.7 mi). |
| 285 | 120.6 m. | 76.3 m. | 70 dBu F(50,50) | 12.3 km. (7.6 mi). |
| 300 | 128.1 m. | 68.8 m. | 70 dBu F(50,50) | 11.8 km. (7.3 mi). |
| 315 | 109.9 m. | 87.0 m. | 70 dBu F(50,50) | 13.0 km. (8.1 mi). |
| 330 | 112.1 m. | 84.8 m. | 70 dBu F(50,50) | 12.8 km. (8.0 mi). |
| 345 | 87.9 m. | 109.0 m. | 70 dBu F(50,50) | 14.4 km. (9.0 mi). |

AFFIDAVIT

STATE OF ALABAMA

CLARKE COUNTY

I, Albert Curry, do hereby certify that I am the President of Curry Communications, Inc., an Alabama corporation, and that the information contained within the attached Petition For Rule Making before the Federal Communications Commission, known as MM Docket 92-284, RM-8119, is true and correct to the best of my knowledge and belief. I furthermore certify that I will move expeditiously to make proper applications to the FCC and, when authorized, move expeditiously to construct and daily operate and locally program such facilities as the Commission should authorize.



Albert Curry, President
Curry Communications, Inc.
107 Pickens Street
Monroeville, AL 36460
Telephone: 205-575-7138

Sworn to me this 1st day of February, 1993.



NOTARY PUBLIC

My Commission Expires July 17, 1994